

## CLAIMS

What is claimed is:

- 5 1. In a computerized device, a method for obtaining content from a content-originating device, the method comprising the steps of:
- identifying a location-path having a series of locations which leads from the computerized device to the content-originating device, wherein each location includes a set of devices, and wherein the set of devices of at least one location
- 10 includes multiple devices;
- selecting a device-path from the computerized device to the content-originating device based on the identified location-path, wherein the selected device-path includes at least one device of each location of the series of locations; and
- 15 acquiring the content from the content-originating device from at least one of the devices along the selected device-path.
2. The method of claim 1 wherein the content-originating device is configured to operate as a content server for a first host domain; wherein a tree data structure, which defines a content distribution layout having an inverted-tree shape, is
- 20 associated with a second host domain for distribution of content from the second host domain; and wherein the step of identifying the location-path includes the steps of:
- associating the tree data structure, which defines the content distribution layout having the inverted-tree shape, with the first host domain; and
- 25 ascertaining the location-path having the series of locations which leads from the computerized device to the content-originating device based on the tree data structure.

3. The method of claim 2 wherein the set of devices of each location along the series of locations which leads from the computerized device to the content-originating device provides multiple possible device-paths from the computerized device to the content-originating device, and wherein the step of selecting the device-path includes the step of:
- 5           choosing a device of each location to construct, as the device-path, a particular one of the multiple possible device-paths from the computerized device to the content-originating device.
- 10 4. The method of claim 1 wherein a location of the series of locations which leads from the computerized device to the content-originating device includes a set of devices that includes the computerized device and a tree former leader device, and wherein the step of identifying the location-path includes the steps of:
- 15           sending a location-path request message from the computerized device to the tree former leader device; and
- receiving, from the tree former leader device, a reply message which defines the location-path having the series of locations which leads from the computerized device to the content-originating device.
- 20 5. The method of claim 1 wherein a location of the series of locations which leads from the computerized device to the content-originating device includes a set of devices that includes the computerized device and a content fetching leader device, wherein the selected device-path includes the content fetching leader device, and wherein the step of acquiring the content includes the steps of:
- 25           sending a content request message from the computerized device to the content fetching leader device; and
- receiving, in response to the content request message, the content from the content fetching leader device.

6. The method of claim 1 wherein the step of selecting the device-path includes the steps of:

forming an ordered list of devices, wherein each device of the ordered list belongs to the series of locations which leads from the computerized device to the content-originating device; and

deriving the device-path based on the formed ordered list of devices.

7. The method of claim 6 wherein the content is a live feed, and wherein the step of deriving the device-path includes the steps of:

probing each device on the formed ordered list for responses; and  
constructing the device-path based on the responses.

8. The method of claim 6 wherein the content is pre-positioned material, and wherein the step of deriving the device-path includes the steps of:

requesting the content from a first device in the formed ordered list; and  
re-requesting the content from another device in the formed ordered list if the computerized device does not receive the content from the first device in the formed ordered list.

9. A computerized device for obtaining content from a content-originating device, comprising:

a network interface; and

a controller coupled to the network interface, the controller being

5 configured to:

- (i) identify a location-path having a series of locations which leads from the computerized device to the content-originating device, wherein each location includes a set of devices, and wherein the set of devices of at least one location includes multiple devices,
- 10 (ii) select a device-path from the computerized device to the content-originating device based on the identified location-path, wherein the selected device-path includes at least one device of each location of the series of locations, and
- 15 (iii) acquire the content from the content-originating device from at least one of the devices along the selected device-path through the network interface.
- 20

2025-01-01 10:00:00

10. The computerized device of claim 9 wherein the content-originating device is configured to operate as a content server for a first host domain; wherein a tree data structure, which defines a content distribution layout having an inverted-tree shape, is associated with a second host domain for distribution of content from the second host domain; and wherein the controller, in order to identify the location-path, is configured to:
- 5           associate the tree data structure, which defines the content distribution layout having the inverted-tree shape, with the first host domain; and
- ascertain the location-path having the series of locations which leads from the computerized device to the content-originating device based on the tree data structure.
- 10
11. The computerized device of claim 10 wherein the set of devices of each location along the series of locations which leads from the computerized device to the content-originating device provides multiple possible device-paths from the computerized device to the content-originating device, and wherein the controller, in order to select the device-path, is configured to:
- 15           choose a device of each location to construct, as the device-path, a particular one of the multiple possible device-paths from the computerized device to the content-originating device.
- 20

1006647, 013402

12. The computerized device of claim 9 wherein a location of the series of locations which leads from the computerized device to the content-originating device includes a set of devices that includes the computerized device and a tree former leader device, and wherein the controller, in order to identify the location-path, is configured to:
- 5                   send a location-path request message from the computerized device to the tree former leader device; and
- receive, from the tree former leader device, a reply message which defines the location-path having the series of locations which leads from the computerized device to the content-originating device.
- 10
13. The computerized device of claim 9 wherein a location of the series of locations which leads from the computerized device to the content-originating device includes a set of devices that includes the computerized device and a content
- 15                   fetching leader device, wherein the selected device-path includes the content fetching leader device, and wherein the controller, in order to acquire the content, is configured to:
- send a content request message from the computerized device to the content fetching leader device; and
- 20                   receive, in response to the content request message, the content from the content fetching leader device.
14. The computerized device of claim 9 wherein the controller, in order to select device-path, is configured to:
- 25                   form an ordered list of devices, wherein each device of the ordered list belongs to the series of locations which leads from the computerized device to the content-originating device; and
- derive the device-path from the formed ordered list of devices.

1106664 "013101"

15. The computerized device of claim 14 wherein the content is a live feed, and wherein the controller, in order to derive the device-path, is configured to:
- probe each device on the formed ordered list for responses; and
  - construct the device-path based on the responses.

5

16. The computerized device of claim 14 wherein the content is pre-positioned material, and wherein the controller, in order to derive the device-path, is configured to:

request the content from a first device in the formed ordered list; and

10

re-request the content from another device in the formed ordered list if the computerized device does not receive the content from the first device in the formed ordered list.

110  
 111  
 112  
 113  
 114  
 115  
 116  
 117  
 118  
 119  
 120  
 121  
 122  
 123  
 124  
 125  
 126  
 127  
 128  
 129  
 130  
 131  
 132  
 133  
 134  
 135  
 136  
 137  
 138  
 139  
 140  
 141  
 142  
 143  
 144  
 145  
 146  
 147  
 148  
 149  
 150  
 151  
 152  
 153  
 154  
 155  
 156  
 157  
 158  
 159  
 160  
 161  
 162  
 163  
 164  
 165  
 166  
 167  
 168  
 169  
 170  
 171  
 172  
 173  
 174  
 175  
 176  
 177  
 178  
 179  
 180  
 181  
 182  
 183  
 184  
 185  
 186  
 187  
 188  
 189  
 190  
 191  
 192  
 193  
 194  
 195  
 196  
 197  
 198  
 199  
 200  
 201  
 202  
 203  
 204  
 205  
 206  
 207  
 208  
 209  
 210  
 211  
 212  
 213  
 214  
 215  
 216  
 217  
 218  
 219  
 220  
 221  
 222  
 223  
 224  
 225  
 226  
 227  
 228  
 229  
 230  
 231  
 232  
 233  
 234  
 235  
 236  
 237  
 238  
 239  
 240  
 241  
 242  
 243  
 244  
 245  
 246  
 247  
 248  
 249  
 250  
 251  
 252  
 253  
 254  
 255  
 256  
 257  
 258  
 259  
 260  
 261  
 262  
 263  
 264  
 265  
 266  
 267  
 268  
 269  
 270  
 271  
 272  
 273  
 274  
 275  
 276  
 277  
 278  
 279  
 280  
 281  
 282  
 283  
 284  
 285  
 286  
 287  
 288  
 289  
 290  
 291  
 292  
 293  
 294  
 295  
 296  
 297  
 298  
 299  
 300  
 301  
 302  
 303  
 304  
 305  
 306  
 307  
 308  
 309  
 310  
 311  
 312  
 313  
 314  
 315  
 316  
 317  
 318  
 319  
 320  
 321  
 322  
 323  
 324  
 325  
 326  
 327  
 328  
 329  
 330  
 331  
 332  
 333  
 334  
 335  
 336  
 337  
 338  
 339  
 340  
 341  
 342  
 343  
 344  
 345  
 346  
 347  
 348  
 349  
 350  
 351  
 352  
 353  
 354  
 355  
 356  
 357  
 358  
 359  
 360  
 361  
 362  
 363  
 364  
 365  
 366  
 367  
 368  
 369  
 370  
 371  
 372  
 373  
 374  
 375  
 376  
 377  
 378  
 379  
 380  
 381  
 382  
 383  
 384  
 385  
 386  
 387  
 388  
 389  
 390  
 391  
 392  
 393  
 394  
 395  
 396  
 397  
 398  
 399  
 400  
 401  
 402  
 403  
 404  
 405  
 406  
 407  
 408  
 409  
 410  
 411  
 412  
 413  
 414  
 415  
 416  
 417  
 418  
 419  
 420  
 421  
 422  
 423  
 424  
 425  
 426  
 427  
 428  
 429  
 430  
 431  
 432  
 433  
 434  
 435  
 436  
 437  
 438  
 439  
 440  
 441  
 442  
 443  
 444  
 445  
 446  
 447  
 448  
 449  
 450  
 451  
 452  
 453  
 454  
 455  
 456  
 457  
 458  
 459  
 460  
 461  
 462  
 463  
 464  
 465  
 466  
 467  
 468  
 469  
 470  
 471  
 472  
 473  
 474  
 475  
 476  
 477  
 478  
 479  
 480  
 481  
 482  
 483  
 484  
 485  
 486  
 487  
 488  
 489  
 490  
 491  
 492  
 493  
 494  
 495  
 496  
 497  
 498  
 499  
 500  
 501  
 502  
 503  
 504  
 505  
 506  
 507  
 508  
 509  
 510  
 511  
 512  
 513  
 514  
 515  
 516  
 517  
 518  
 519  
 520  
 521  
 522  
 523  
 524  
 525  
 526  
 527  
 528  
 529  
 530  
 531  
 532  
 533  
 534  
 535  
 536  
 537  
 538  
 539  
 540  
 541  
 542  
 543  
 544  
 545  
 546  
 547  
 548  
 549  
 550  
 551  
 552  
 553  
 554  
 555  
 556  
 557  
 558  
 559  
 560  
 561  
 562  
 563  
 564  
 565  
 566  
 567  
 568  
 569  
 570  
 571  
 572  
 573  
 574  
 575  
 576  
 577  
 578  
 579  
 580  
 581  
 582  
 583  
 584  
 585  
 586  
 587  
 588  
 589  
 590  
 591  
 592  
 593  
 594  
 595  
 596  
 597  
 598  
 599  
 600  
 601  
 602  
 603  
 604  
 605  
 606  
 607  
 608  
 609  
 610  
 611  
 612  
 613  
 614  
 615  
 616  
 617  
 618  
 619  
 620  
 621

17. A set of computerized devices for obtaining content from a content-originating device, comprising:

a first computerized device which is configured as a tree forming leader;

a second computerized device which is coupled to the first computerized

5 device, the second computerized device being configured to:

(i) obtain, from the first computerized device which is configured as a tree forming leader, a communications signal that identifies a location-path having a series of locations which leads from the second computerized device

10 to the content-originating device, wherein each location includes a set of devices, and wherein the set of devices of at least one location includes multiple devices,

(ii) select a device-path from the second computerized device to the content-originating device based on the identified location-path, wherein the selected device-path includes at

15 least one device of each location of the series of locations, and

(iii) acquire the content from the content-originating device from at least one of the devices along the selected device-path.

20

18. The set of computerized devices of claim 17, further comprising:

a third computerized device coupled to the second computerized device;

wherein the third computerized device is configured as a content fetching leader;

25 and wherein the second computerized device, in order to acquire the content from the content-originating device, is configured to obtain the content through the third computerized device which is configured as the content fetching leader.



19. A set of computerized devices for obtaining content from a content-originating device, comprising:

a first computerized device which is configured as a content fetching leader;

5 a second computerized device which is coupled to the first computerized device, the second computerized device being configured to:

- 10
- (i) identify a location-path having a series of locations which leads from the second computerized device to the content-originating device, wherein each location includes a set of devices, and wherein the set of devices of at least one location includes multiple devices,
  - 15 (ii) select a device-path from the second computerized device to the content-originating device based on the identified location-path, wherein the selected device-path includes at least one device of each location of the series of locations, and
  - 20 (iii) acquire the content from the content-originating device through the first computerized device which is configured as the content fetching leader.

20. A computerized device for obtaining content from a content-originating device, comprising:

a network interface; and

a controller coupled to the network interface, the controller including:

- 5 (i) means for identifying a location-path having a series of locations which leads from the computerized device to the content-originating device, wherein each location includes a set of devices, and wherein the set of devices of at least one location includes multiple devices,
- 10 (ii) means for selecting a device-path from the computerized device to the content-originating device based on the identified location-path, wherein the selected device-path includes at least one device of each location of the series of locations, and
- 15 (iii) means for acquiring the content from the content-originating device from at least one of the devices along the selected device-path through the network interface.
- 20

2025 RELEASE UNDER E.O. 14176

21. A computer program product that includes a computer readable medium having instructions stored thereon for directing a computerized to obtain content from a content-originating device, such that the instructions, when carried out by the computerized device, cause the computerized device to perform the steps of:
- 5           identifying a location-path having a series of locations which leads from the computerized device to the content-originating device, wherein each location includes a set of devices, and wherein the set of devices of at least one location includes multiple devices;
- selecting a device-path from the computerized device to the
- 10       content-originating device based on the identified location-path, wherein the selected device-path includes at least one device of each location of the series of locations; and
- acquiring the content from the content-originating device from at least one of the devices along the selected device-path.

20150624-013102